



THE PROFESSIONAL'S CHOICE

We ARE Technical Support....when you call us, you will speak with a bona fide water professional with years of field experience to share.

Pollardwater.com
800-437-1146



USE BROWSER BACK BUTTON TO RETURN
TO THIS PDF FROM PRODUCT WEB PAGE

Thank you for considering Pollardwater.com for your Water and Wastewater needs....

Our sales staff will always get you the answers and products you need, when you need it.

We publish the most complete and comprehensive catalog in this industry, with over 1400 pages of tools, equipment and supplies.

Call 800-437-1146 or go online to request a current edition.

www.pollardwater.com




ORDER ONLINE



Working late? Our website never closes, set up a new account or place your order online anytime. All orders after hours are processed the next business day!

Simply enter the product Item Number or Name to get current pricing and technical information.



AERATION
CHART RECORDER
CHEM FEED PUMPS
DECHLORINATION
FLOW TESTING
GAUGES
HOSE
HYDRANT
VALVE KEYS
LABORATORY
LEAK DETECTION
LEVEL CONTROL
LOCATORS
MANHOLE
METERS
ODOR CONTROL
PIPELINE
PLUGS
PROCESS
PUMPS
REFERENCE
SAFETY
SAMPLING
STORMWATER
VALVE
WASTEWATER

800-437-1146


SALES AND TECHNICAL SUPPORT

5:00 pm PST

WEST COAST CLOSES

7:30 am EST

EAST COAST OPENS



Pollardwater.com has warehouses on both coasts so your order will reach you quickly.

- **AFFORDABLE NEXT DAY AIR**
- **LOWEST FREIGHT RATES**
- **EASY TRACKING**
- **FAST DELIVERY**



FedEx





LPD-250
Steel 33 lbs



LPD-250A
Aluminum 17 lbs



TABLET FED DECHLORINATING DIFFUSERS



[GO TO WEB](#)

The LPD-250 and Aluminum LPD-250A Diffusers

- Neutralize chlorine/chloramines safely when flushing
- Keep chemical waste to a minimum, by using tablets there are no chemicals to mix
- Attach the LPD-250 directly to hydrant or connect it to a hose and flush to the street using the LPD-250 Tire Bracket or Swivel Hitch Bracket

LPD-250 Dechlorinating Diffusers Overview

Already widely used throughout the United States and Canada, the LPD-250 is the easiest to use dechlorination device available. Simply fill the feed tube with tablets and the LPD-250 will do the rest. There are no chemicals to mix or waste.

The LPD-250 is for use with chemically treated (4 ppm or less chlorine/chloramines) potable water. For higher chlorine concentrations up to 300 ppm, see www.pollardwater.com for the COMBO Kit which works with the LPD-250 and gravity feeds liquid CAPTOR NSF into the LPD-250. The LPD-250 uses either LPD-CHLOR™ tablets (contains Sodium Sulfite 81.3%) or Vita-D-Chlor™ Tablets (Ascorbic Acid- Vitamin C) that neutralizes the chlorine/chloramines in the water you are flushing.

Weighing 33 lbs., the LPD-250 is heavy enough to take the day-to-day abuse of flushing. You can flush straight off a hydrant or attach a hose to point the flow where you want it to go. A lightweight Aluminum Version (LPD-250ALUM) is available and weighs in at 17 lbs.

The LPD-250 can handle flows from 200 to 1,250 GPM and hydrant pressures up to 200 psi. For flows lower than 200 gpm, we recommend you use our Low Flow Inserts which allow more water to run past the tablets, great for applications such as draining/dechlorinating a swimming pool.


For flows higher than 1250 GPM we recommend a hydrant wye or you can use our Manifold Systems (call for details).

VITA-D-CHLOR™



Vita-D-Chlor™

TABLET FED DECHLORINATING DIFFUSER ACCESSORIES



LPD-CHLOR



LPD-CHLOR™



Hose for
Curb Side
Dechlorination



Low Flow
Inserts



Tire Bracket



Integral
Pitot



Hitch Mount Bracket

LPD-250 Chemical and Accessories Make the Job Easier

When using LPD-CHLOR™ tablets, the LPD-250 consumes about 1 tablet per 2,500 gallons and the feed tube should be topped off with additional tablets after each increment of about 10,000 gallons of flow. For Vita-D-Chlor Tablets you need a LPD-Tabletscreen and approx 5 tablets for 8,000 of flow. Be sure to test the water flushed

Item	Description	Each
LPD-250	LPD-250 Dechlorinating Diffuser with 2.5" NST adapter ¹	749.00
LPD-250ALUM	LPD-250A Aluminum Dechlorinating Diffuser with 2.5" NST Adapter ¹	945.00
W0000010	LPD-CHLOR™ Tablets 140 - specifically designed for the LPD-250	165.00
Vita-D-Chlor140	Vita-D-Chlor™ Tablets 140 ²	579.00
LPDTabletscreen	Screen for Vita-D-Chlor Tablets ²	59.00

¹ Other adapters available - we stock CST (Canadian Standard Thread).

² LPD-tabletscreen tunes the Vita-D-Chlor tablets to the proper consumption rate.

NOTE: For additional information on LPD-CHLOR™ and Vita-D-Chlor™ Tablets please see our web site

LPD-250 Accessories	Description	
HOSE15NST2.5	15' Hose 2-1/2 FNST X 2-1/2 MNST for LPD-250	125.00
LPD-TIRE	LPD Hold Down Bracket (fits under tire)	179.00
LPD-HITCH	LPD Hitch Mount Bracket (square receiver)	315.00
LPDPITOTKIT	LPD Pitot with Dual Read Gauge and Quick Connection	149.00
LPD-LFINSERT	LPD Low Flow Inserts (Pair) for Flushing 200 GPM or less	189.00



DPD Powder Pillows



[GO TO WEB](#)



Hach® Chlorine Pocket Colorimeter II™

The Pocket Colorimeter II™ offers two measurement ranges, 0.02 to 2.00 mg/L and 0.1 to 8.0 mg/L (ppm).

It delivers years of trouble-free operation and is designed with the operator in mind. Its intuitive navigation, rugged, waterproof design, large backlit display and accurate, reproducible measurements make the Pocket Colorimeter II™ the standard for free and total chlorine measurement.

Kit includes: colorimeter, reagent set (100 tests each, low range, or 50 tests each, high range), sample cells, user manual, carrying case, and four AAA batteries.

SpecCheck secondary standards must be ordered separately and may be required for instrument validation in some states.

Item	Description	# Tests	Each
LHC58700-00	Chlorine Pocket Colorimeter II™	100 ea	389.00
LHC26353-00	SpecCheck Secondary Standards		133.00
LHC59531-00	Holster		19.90

Powder Pillows

LHC21055-69	DPD 1 (Free)	100	18.99
LHC21055-28	DPD 1 (Free)	1000	163.00
LHC21056-69	DPD 4 (Total)	100	18.99
LHC21056-28	DPD 4 (Total)	1000	163.00

SwiftTest Dispensers

LHC28023-00	Free Cl ₂ SwiftTest Dispenser	250	57.29
LHC28024-00	Total Cl ₂ SwiftTest Dispenser	250	57.29
LHC21055-60	Free Cl ₂ SwiftTest Refill	250	43.09
LHC21056-60	Total Cl ₂ SwiftTest Refill	250	43.09

Replacement Items

LHC24276-06	Glass Sample Cells, Pack of 6	23.10
LHC48643-02	Plastic Sample Cells, Pack of 6	12.20
AAA	AAA Battery (Each)	0.65



Holster



Secondary Standards



SwiftTest Dispenser

DPD Powder Packs

[GO TO WEB](#)

Compatible with Hach® Colorimeters and Test Kits

Why pay more for your DPD?

Get the same results as expensive brands with these pre-measured reagents in individual foil packs.



* Please note the water sample size your kit or instrument uses.

Item	Desc	(ml) Sample	# Tests	Each
LOBRP0090	DPD 1 (F)	5	100	14.60
LOBRP0093	DPD 1 (F)	5	1000	124.60
LOBRP0100	DPD 1 (F)	10	100	17.50
LOBRP0103	DPD 1 (F)	10	1000	150.70
LOBRP0110	DPD 1 (F)	25	100	18.50
LOBRP0080	DPD 4 (T)	5	100	14.60
LOBRP0083	DPD 4 (T)	5	1000	124.60
LOBRP0120	DPD 4 (T)	10	100	17.50
LOBRP0123	DPD 4 (T)	10	1000	150.70
LOBRP0130	DPD 4 (T)	25	100	18.50

Free & Total Chlorine Test Strips

Take fast chlorine measurements with these easy to use test strips.

Simply dip strip and compare color to determine concentration. Each bottle contains 50 strips.

Call for other ranges or parameters.



[GO TO WEB](#)

STEPS

L1000730	0, 0.05, 0.1, 0.15, 0.2, 0.5, 0.8, 1.0, 4.0, 10.0 ppm
L1000930	0, 5, 10, 20, 30, 40, 60, 80 ppm
L1000330	0, 0.25, 0.5, 1, 2, 3, 4, 5, 6, 7, 8, 9, 11, 15, 20, 25 ppm

Item	Description	Each
L1000730	Strips (Total Cl ₂)	15.99
L1000930	Strips (Total Cl ₂)	13.99
L1000330	Strips (Free Cl ₂)	15.95

LaMotte Liquid DPD

[GO TO WEB](#)

Reacts quickly

Free chlorine testing requires both DPD1A and DPD1B (bottled separately for shelf life and stability). Add DPD3 to the same water sample to measure total chlorine.



Item	Description	# Tests	Each
L0301302	DPD1A (Free), 30 mL	144	5.23
L0301402	DPD1A (Free), 60 mL	288	8.06
L0301502	DPD1B (Free), 30 mL	144	5.23
L0301602	DPD1B (Free), 60 mL	288	8.06
L0302302	DPD 3 (Total), 30 mL	144	6.48
L0302402	DPD 3 (Total), 60 mL	288	9.17

Powder Pop DPD Dispenser

DPD dispensers conveniently deliver a precise dose of DPD with a push of a button!

Simply invert the dispenser over the sample cell and push – no more foil pouches to dispose of or messy powder to handle.

Dispensers are designed to prevent clogging and individually packaged to prolong shelf-life. Each dispenser contains enough reagent to perform 100 tests.

Available for 5 or 10 mL sample sizes and formulations for all major test kit and colorimeter brands.



Hach, HF Scientific, Hanna

[GO TO WEB](#)

Item	Description	(mL)	Each
L0301005	DPD (Free)	5	14.70
L0303005	DPD (Total)	5	14.70
L0301105	DPD (Free)	10	18.03
L0303105	DPD (Total)	10	18.03

LaMotte, Orbeco, Orion, Palintest, Tintometer, YSI

Item	Description	(mL)	Each
L0301205	DPD (Free)	10	18.03
L0303205	DPD (Total)	10	18.03



HydrantPro™




100 PSI / 1680 GPM 160 PSI / 2120 GPM

High Quality Liquid Filled Gauges

Three Way
Ball Valve
P675012

Snubber
P675026



Inner Tube
P675013

HydrantPro™ - Aluminum Hose Nozzle Diffuser

- New design - Lightweight with quality aluminum swivel adapter
- Diffuses flow to reduce damage while flushing hydrants
- Swivels to Aim Flow - Point the flow where you want to flush

[GO TO WEB](#)

Item	Description	Each
HYDPRO100	HydrantPro Diffuser 2.5 NST, 100 psi / 1680 GPM	399.00
HYDPRO160	HydrantPro Diffuser 2.5 NST, 160 psi / 2120 GPM	399.00

NOTE: Other threads available, see web or call for details.

HYDPROCASE	Diffuser Case ONLY for HydrantPro Diffuser	68.00
HYDPROFLUSH	Diffuser 2.5 NST with Brass Plug (SEE (Flush Only- No Gauge)	299.00

Parts for the 2.5" HydrantPro Diffuser

HYD100	Liquid Filled Gauge 4" 100psi/1680 GPM	59.00
HYD160	Liquid Filled Gauge 4" 160psi/2120 GPM	59.00
P67596	Hydrant Swivel Gate Valve 2.5 NST	274.00



Little
HOSE MONSTER™

[GO TO WEB](#)



Little Hose Monster and Pitotless Nozzle

The Little Hose Monster™

Small: The Little Hose Monster measures 12 x 13 inches, and still performs as well as the original steel Hose Monster when neutralizing the tremendous force of discharge water.

Lightweight: The Little Hose Monster weighs only 3 pounds. With the Pitotless Nozzle and gauge, it still only weighs 6 pounds.

Durable: The Little Hose Monster is made from injection-molded glass filled polypropylene. It comes with a 2-year warranty. If the Little Hose Monster breaks during normal operation, we'll repair or replace it at no charge.

Uses: The Little Hose Monster is used with the Pitotless Nozzle™ in fire flow testing and main flushing. Accessories, such as hose, gauges and wrenches are required based on the job you want to do and which equipment you already have.

The BigBoy Hose Monster™

The BigBoy Hose Monster is coming soon!

Flow test and flush through the Pumper Port
Available in 4" and 4 1/2" sizes

- Precise flow-rate measurements – FM Approved
- Pitotless
- Lightweight – 15 pounds
- Small – 18" x 19"

[GO TO WEB](#)

AVAILABLE
IN JUNE



Item	Description	Each
HMPN2GRV	Pitotless Nozzle™ 2"	495.00
HML	Little Hose Monster	620.00

HMLKIT Little Hose Monster Kit 1,295.00
Consist of the following (below)

- 1) HML Little Hose Monster
- 1) HMPN2GRV Pitotless Nozzle 2"
- 1) HMRR12 12' Remote Reader Assembly,
- 1) HMGK100D4 Gauge 4" 100psi, 1/2"

Item	Description	Each
HMH2H5	HM Hose 2-1/2" NST x 5'	78.00
HMH2H10	HM Hose 2-1/2" NST x 10'	90.00
HMH2H25	HM Hose 2-1/2" NST x 25'	130.00
HMH2H50	HM Hose 2-1/2" NST x 50'	203.00

HMRR12¹ Remote Reader-Hose Only 12' 30.00

4" 1/4 NPT, .5% Accuracy Gauges (below)

HMGK60D4	Gauge 0-60 psi	150.00
HMGK100D4	Gauge 0-100 psi	150.00
HMGK160D4	Gauge 0-160 psi	150.00
HMGK200D4	Gauge 0-200 ps	150.00

Note1 Gauge ordered separately





Hydrant Pressure Logger

Water distribution system pressure recorder with 2.5 FNST connection. Downloads to a CSV file for use with spreadsheet software via USB connection and records over 81,000 pressure readings. Comes complete with software, USB Cable and Logger.

Item	Description	Each
WGWPL200H2	Hydrant Press. Logger	575.00
WGWPL200HLK	Lock	57.00

[GO TO WEB](#)



[GO TO WEB](#)

Custom Made Flow and Pressure Test Kits

- Choose what you need and we will do the rest.
- Check out FLOW KITS at Pollardwater.com for info.

Let us know what application your working with and we will design a kit to fit your flow and or pressure testing needs. Our pick-n-pluck foam cases will protect your investment. Give us a call we have what you need in stock!



[GO TO WEB](#)



Static Pressure Fire Hydrant Gauges

Available in Bleeder Valve or Standard versions

No tools are need to put on/take off this static pressure tester. Comes standard with a 2-1/2" NST Hose Nozzle connection. Quality 0.5% accurate liquid filled 3.5" gauge.

Item	Description	Each
HPR-31-100	Hyd Pres Rec 0-100 PSI	895.00
HPR-31-200	Hyd Pres Rec 0-200 PSI	895.00
HPR-31-300	Hyd Pres Rec 0-300 PSI	895.00



[GO TO WEB](#)

Dual Read Hydrant Nozzle Flow Gauge

- Choose 100/1680 or 160/2120 (psi/gpm) gauge
- Attaches quickly to any hose nozzle thread pattern

The Dual Read Hydrant Nozzle Flow Gauge is calibrated to measure water flow from 2-1/2" hydrant nozzle in gallons per minute and psi. It will fit any 2-1/2" nozzle opening without the use of tools. Great for water districts that have multiple thread patterns as the P669LF attaches to any thread.

Item	Description	Each
P669LF	100psi/1680 gpm w/ Case	139.00
P66901LF	100psi/1680 gpm	125.00
P66910LF	160psi/2120 gpm w/ Case	139.00
P66911LF	160psi/2120 gpm	125.00



[GO TO WEB](#)



Standard

Static Pressure Fire Hydrant Gauges

Available in Bleeder Valve or Standard versions

No tools are need to put on/take of this static pressure tester. Comes standard with a 2-1/2" NST Hose Nozzle connection. Quality .5% accurate liquid filled 3.5" gauge.



Item	Description	PSI	Inc	Each
P67020LF	Bleeder Valve	60	1	95.95
P67021LF	Bleeder Valve	100	1	95.95
P67022LF	Bleeder Valve	160	2	95.95
P67023LF	Bleeder Valve	200	2	95.95
P67024LF	Bleeder Valve	300	5	95.95
P67000LF	Standard	60	1	87.95
P670LF	Standard	100	1	87.95
P67001LF	Standard	160	2	87.95
P67002LF	Standard	200	2	87.95
P67003LF	Standard	300	5	87.95



Inspection Pressure Test Gauge (IPTG)

Fits on Faucet or outside hose outlet (GHT threads)

This gauge measures both static and residual water pressure in psi. It may be attached to any plain or threaded faucet without tools. Available in 60, 100,

Item	Description	Each
P67114	IPTG 60 psi without case	42.85
P67103	IPTG 100 psi without case	42.85
P67104	IPTG 160 psi without case	42.85
P67105	IPTG 200 psi without case	42.85

[GO TO WEB](#)



Digital Static Pressure Fire Hydrant Gauges

This Pressure Logger records changes in water pressure helping pinpoint causes of drops, surges and back flows. The logger records pressure from 0 to 100 or 0 to 300 PSI, has a waterproof stainless steel case and a 5 year battery. The user-friendly software makes it simple to integrate recorded pressure data into documents and spreadsheets, giving results a professional, polished look.

Item	Description	Each
PR100	Pressure Recorder 0-100 psi	445.00
PR300	Pressure Recorder 0-300 psi	445.00
A015	Software and download cable for PR100 and PR300, Serial	88.95
P67006	Fire Hydrant Gauge Bracket	62.35

[GO TO WEB](#)



GPM/PSI House Inspection Pressure Tester

Test for both psi and gpm at a residence with one unit Fits on standard hose bibb.

With this comprehensive water gauge you can conduct a complete water analysis of both water pressure to 160 psi and water flow to 13 gallons per minute.

Water flow and water pressure are each controlled by a 3/4 inch brass gate valve. Fits on standard garden hose outlet.

Item	Description	Each
P671690	House Tester/Flow Gauge	81.85



[GO TO WEB](#)

±1 % Accuracy Glycerin Filled Gauges

- High quality gauges in 2.5 and 3.5 inch sizes
- 1/4 inch NPT Connection with Zytel Nylon case

Our liquid-filled gauges are glycerine filled with a 1/4" NPT thread. The case is zytel nylon and features a blow-out plug with an acrylic lens. These gauges are good for use when shock effects need to be reduced. The glycerine liquid lubricates all moving parts, dramatically reducing gauge wear.

Item	Size	PSI	Intervals	Each	10+
P67070	2.5"	0 - 30	0.5	47.00	42.30
P67071	2.5"	0 - 60	1.0	47.00	42.30
P67072	2.5"	0 - 100	1.0	47.00	42.30
P67073	2.5"	0 - 160	2.0	47.00	42.30
P67074	2.5"	0 - 200	2.0	47.00	42.30
P67075	2.5"	0 - 300	5.0	47.00	42.30

P67081	3.5"	0 - 60	1.0	52.50	47.25
P67082	3.5"	0 - 100	1.0	52.50	47.25
P67083	3.5"	0 - 160	2.0	52.50	47.25
P67084	3.5"	0 - 200	2.0	52.50	47.25
P67085	3.5"	0 - 300	5.0	52.50	47.25



[GO TO WEB](#)

±1.5 % Accuracy Glycerin Filled Gauges

- Quality gauges in 2.5 and 4 inch sizes
- 1/4 inch NPT Connection with steel case

Our liquid-filled gauges are glycerine filled with a 1/4" NPT thread.

The glycerine liquid lubricates all moving parts, dramatically reducing wear within the gauge.

Item	Size	PSI	Intervals	Each	10+
P67027	2.5"	0 - 30	0.5	25.50	22.95
P67028	2.5"	0 - 60	1.0	25.50	22.95
P67016	2.5"	0 - 100	1.0	25.50	22.95
P67017	2.5"	0 - 160	2.0	25.50	22.95
P67018	2.5"	0 - 200	5.0	25.50	22.95
P67029	2.5"	0 - 300	5.0	25.50	22.95

P67030	4"	0 - 60	1.0	53.25	47.95
P67031	4"	0 - 100	1.0	53.25	47.95
P67032	4"	0 - 160	2.0	53.25	47.95
P67034	4"	0 - 200	2.0	53.25	47.95
P67033	4"	0 - 300	5.0	53.25	47.95

Pilot Temporary Shut Off Tool for Soft Copper

Pilot Shut Off Tools are like valves ready to shut off, hold, and restore flow quickly and easily to soft copper tubing.



[GO TO WEB](#)

Their advanced design permits easy use even in the tightest quarters and their quality construction assures years of dependable operation. All Pilot Shut-Off Tools come with a plastic carrying case.

Item	Model	Description	Each
P65101	85	3/4" through 1"	237.70
P65102	86	1/2" through 1"	253.00
P65103	70	1-1/4" through 2"	411.60
P65104	8570	3/4" through 2"	619.40
P65105	62	85 and 86 Clamp	12.70
P65106	72	70 Clamp	28.40

Service Line Replacement Tool

[GO TO WEB](#)

This kit splits or removes copper, plastic, lead, or galvanized steel water service lines while simultaneously pulls new copper or polyethylene tubing.

The cutter head is pulled through the existing waterline by a truck, backhoe or winch. Works on pipe ranging from 3/4" through 2" in diameter.

Item	Description	Each
WW-500-50	50' Cable 3/4" & 1"	722.20
WW-500-75	75' Cable 3/4" & 1"	809.15
WW-500-100	100' Cable 3/4" & 1"	849.10
WCH-500	Cutter Head 3/4" & 1"	245.90
WAD-534	Pipe Adapter (3/4")	49.95
WAD-510	Pipe Adapter (1")	49.95
WKG-500	Klein Cable Pulling Grip	258.45

3/8" PULLING CABLE

WPC-50	50' Pulling Cable	150.60
WPC-75	75' Pulling Cable	169.05
WPC-100	100' Pulling Cable	199.80

WCH-512	Cutter & Adapter for 1.5"	274.35
WCH-520	Cutter & Adapter for 2"	319.70
WFA-500	Pipe Adapter for Wire Sock	53.80
WKG-1600	Klein Cable Pulling Grip	525.60

B-101™ Drilling and Tapping Machine





The MUELLER® B-101™ is the best drilling and tapping machinemade, time proven. It is used for drilling, tapping and inserting operations under pressure from 1/2 to 1". In addition, you can also drill and tap on DRY mains 1-1/2" and 2". All tools and equipment used with the B-101 can also be used with the B-100. The total shipping weight is 114 lbs.



[GO TO WEB](#)

We stock drills&taps and all B101 parts!

Item	Description	Each
B101	B-101 Tapping Machine	2,961.53
H603	B-101Electric Powerdrive	3,288.25





HEAVY DUTY

Rubber Coated Fire Hose

Rubber Coated to resist abrasion and ideal for high pressure and tough conditions where other hoses fail! Available in NST or NPSH fittings. Longer sizes available in 5' increments only. Call Todd at extension 192 for assistance.

Item	Size	Length	Test PSI	Working PSI	Each
XAB2160006	2.5	10	500	250	115.00
XAB2160007	2.5	15	500	250	150.00
XAB2160008	4.5	10	400	200	436.00
XAB2160009	4.5	15	400	200	480.00

*Note: 4.5" Hose is 5" Hose with 4.5" NST fittings.



GO TO WEB

2.5 NST Hydrant Swivel Gate Valve

The Hydrant Swivel Gate Valve is used to restrict outflow of a hydrant in frequent use. It can also be used to throttle a hydrant instead of using the hydrant main valve to throttle, thereby preventing damage to the main valve. Intended for use on standpipes, fire pumps and hydrants.

Item	Description	Each
P67596	2-1/2" Swivel Gate Valve	274.00
P67597	2-1/2" NST Brass Cap	20.45



Pollard Heavy Duty Hydrant Wrenches

Our wrench has been adopted as the industry standard due to its unbreakable drop forged steel head.

GO TO WEB

The P66602 will fit pentagon nuts, and caps up to 1-3/4", squares up to 1-1/4", and pin or rocker lug hose couplings with its unique double spanner. The STORZ wrench has same design and fits STORZ fitting from 2.5 to 6 inches.

Item	Description	Each
P66602	Hydrant Wrench and Spanner	21.49
P66604	STORZ Wrench and Spanner	26.00



Hydrant Wyes: NST or STORZ Connection

Item	Size INLET	Thread Pattern	Thread Pattern	Each
H22040NH25M	4.0	FNST	MNST	295.00
H22045NH25M	4.5	FNST	MNST	295.00
H2204025M	4.0	STORZ	MNST	295.00
H2205025M	5.0	STORZ	MNST	295.00

Outlet: (2) 2.5" MNST

GO TO WEB

Hydrant Reducers Female x Male




GO TO WEB

Size Inlet	Thread Pattern	Size Outlet	Thread Pattern	Item	Each
2.5	FNST	3/4	MGHT	P673	32.05
2.5	FNST	3/4	MNPT	P67301	23.70
2.5	FNST	1	MNPT	P67302	26.05
2.5	FNST	1-1/2	MNPT	P67304	26.45
2.5	FNST	2	MNPT	P67305	47.20
2.5	FNYC	3/4	MNPT	P67306	40.00
2.5	FNYC	1	MNPT	P67307	31.70
2.5	FNYC	1-1/2	MNPT	P67309	38.85
2.5	FNYC	2	MNPT	P67310	23.75
4.0	FNST	2-1/2	MNST	XDIHA4025F	140.25
4.5	FNST	2-1/2	MNST	XDIHA4525F	160.75

Meter Pit Keys

GO TO WEB

These cover keys allow you to open pentagon bolts on meter pit covers and Buffalo style boxes. The #2 key attaches automatically to the bolts of the lifter worm locks, allowing you to lift the lid with the key.



P54102
#2 Meter Pit Key

27/32" Pentagon
1-1/16" Pentagon

Item	Description	Each
P54102	#2 Meter Pit Key	20.00
P54150	#3 Meter Pit Key	24.95

P54150
#3 Meter Pit Key

27/32" Pentagon
1-1/16" Pentagon
Mueller 1-1/16"

The Best Long Handle Meter Wrench

GO TO WEB


Fits 3/4 to 2 inch meter nuts and features replaceable serrated jaws. The best tool for meter change-outs - it works great in confined pits and vaults.

Item	Description	Each
P741	Meter Coupling Wrench	59.50



Manhole Cover Hooks

Manufactured from 5/8 inch hex stock and epoxy coated for long life. Rocker design for easier opening and mover leverage.



GO TO WEB

Item	Description	Each
P553	24" Reg Handle Hook	16.25
P55301	36" Reg Handle Hook	24.90
P55307	24" 90 Degree Handle Hook	16.25
P55308	36" 90 Degree Handle Hook	24.90

Plastic Hydrant and Vault Pumps

Pumps 12 GPM

The P687 Hog Pump is great for meter pits and has a check valve at the bottom of the pump.

Intake suction hose not available for P687.

The P68720 Hose Hog Pump features a 1-1/2" intake hose *(sold separately)* for pumping out hydrants or tight spaces. For even greater versatility, the threaded intake and discharge fitting can be easily replaced to accommodate a smaller diameter hose or plastic pipe.

Item	Description	Each
P687	2" x 3' Hog Pump	46.05
P68720	2" x 3' Hose Hog Pump	47.80
P68710	1 1/2" x 5' Intake Hose	8.35
P68711	Hog Pump Repair Kit 2"	12.85

[GO TO WEB](#)



Sportster Hydrant Meter

Swivel Hose nozzle 2.5 FNST inlet with screen x 2.5 MNST outlet with inlet screen. Available in Gallons or Cubic feet. Max 500 gpm to help reduce damage due to high flows.

High accuracy 3" AWWA class II turbine that is compact and lightweight at 20 lbs. (25 lbs with check valve).

Optional External check valve (ECV) is available.



[GO TO WEB](#)

Item	Description	Each
PFHS30SGAL	Sportster Gallons	605.00
PFHS30SCF	Sportster Cubic Feet	605.00
PFHS30CVGAL	Sportster ECV Gallons	820.00
PFHS30CVCF	Sportster ECV Cubic Feet	820.00

HT4000 Hydrant Meter

Swivel Hose nozzle 2.5 FNST inlet with screen x 2.5 MNST outlet with inlet screen. Works up to 150 psi and is available in Gallons or Cubic feet.

Max 450 gpm to help reduce damage due to high flows. High accuracy 3" AWWA class II turbine that is compact at 15" and lightweight at 17 lbs.

Optional internal check valve (ICV) is available.



Optional Internal Check Valve

[GO TO WEB](#)

Item	Description	Each
MAMH32G	HT4000 Gallons	687.60
MAMH32CF	HT4000 Cubic Feet	687.60
MAMH32ICVG	HT4000 ICV Gallons	928.20
MAMH32ICVCF	HT4000 ICV Cubic Feet	928.20

Hydrant Flags

Choose from our economical Steel Flags, or Spring Mounted Hydrant Flags. All provide years of dependable service and mark your hydrants for quick identification - saving time and lives.

Our Steel Flags are easy to install, they fit between the hose nozzle cap and the hydrant.

The Reflective Fiberglass Flags feature six 4" long highly reflective red striping tape sections on a white reflective fiberglass pole mounted to the hydrant with a 4" long plated steel bracket with a 3/8" diameter bolt hole. Spring allows user to operate hydrant.

Our Premium Flexible Hydrant Flags have bonded Lexan® flag on a durable one piece staff made of wound spring wire. Attach to either the hydrant bonnet or break flange using our provided 1/2" x 4" flange bolt, nut and washers.



Placing Hydrant Flag on the break flange allows you to push the flag away with your foot allowing both hands to operate the hydrant.

[GO TO WEB](#)

Item	Description	Each	20+
P69101	53" Hydrant Marker with Reflective Decal	13.95	12.55
P69102	72" Hydrant Marker with Reflective Decal	17.40	15.65
P69101A	53" Hydrant Marker less Decal	12.50	11.25
P69102A	72" Hydrant Marker less Decal	16.00	14.40
P69111	Reflective Hydrant Marker 5', Plate Mount	15.75	14.95
P69115	Reflective Hydrant Marker 5' w/ Non-Reflective Red Flag, Plate Mount	18.50	17.60
P69117	Reflective Hydrant Marker 6', Plate Mount	18.00	17.25
P69116	Reflective Hydrant Marker 6' w/ Non-Reflective Red Flag, Plate Mount	21.15	20.10
P68801	Flexible Hydrant Marker, 53"	15.00	14.70
P68802	Flexible Hydrant Marker, 72"	17.00	16.75
P68805	Flag Replacement Kit	4.00	3.50


Heavy Duty Hydrant Out of Service Bags

Our durable, weather proof out-of-service bags fit over any hydrant and are available in yellow, red and orange.

You can secure the Out-Of-Service Bag to the hydrant by using the eyelets at bottom of the bag.



Python Adjustable Cable Lock



[GO TO WEB](#)

Item	Description	Each
P69201	Yellow OOS Bag Black Letters	57.10
P69202	Red OOS Bag White Letters	57.10
P69203	Orange OOS Bag Black Letters	57.10
SMA8417	Python Cable Lock, 6'	11.25

Plastic Not in Service Hydrant Bags

[GO TO WEB](#)

N.I.S. Bags can be installed within a matter of seconds and will stay firmly attached to a fire hydrant that is not in service with tie straps at the bottom of the bag. Bags size is 27" x 42". Manufactured from 4 mil rugged polypropylene.



Bags clearly display in BIG print that the hydrant they are on is "NOT IN SERVICE"

(Note: NOT IN SERVICE is on the front of the bag ONLY, the back is blank.)

Purchase by the case and save.

Item	Description	Each	12+
P69250	Plastic NIS Bags 1 Pouch (8 bags)	34.50	29.15

Solid Brass Hydrant Identification Tags

Virtually indestructible solid brass identification tagging system for fire hydrants.

Small tags 2" Wide x 3/4" Tall - 11/16" bolt hole
Large tags 2.5" Wide x 1" Tall - 11/16" bolt hole



Small ID Tags

[GO TO WEB](#)

Large ID Tags

Item	Description	Each
P69242	Hydrant Tags- Brass (25pcs) Plain, no engraving	48.70
P69243	Hydrant Tags- Brass (25pcs) Plain, Engraved*	64.20
P69246	Hydrant Tags, Lg Brass (25pcs) Plain, No Engraving	54.50
P69247	Hydrant Tags, Lg Brass (25pcs) Plain, Engraved*	69.80

*Specify characters (one line only, 5 characters max, 3/16" high). Please call for volume quotes. These are a special order item and are non-cancellable and non-returnable.

KingLock™ Hydrant Lock

The KingLocks padlock secured housing prevents unauthorized access to the hydrant's operating nut. Easy to install directly onto a 1-1/2" pentagon operating nut and allows fast access to the hydrant.



[GO TO WEB](#)

Ductile Iron and powder coated for long life. Visit www.Pollardwater.com for more information or call King at ext 172.



Item	Description	Each
KINGLOCK15	KingLock Hydrant Lock	168.00

For quantities of 5 or more call for quote.

OUT OF SERVICE Hydrant Disks

[GO TO WEB](#)

Our OUT OF SERVICE Hydrant Markers are designed and manufactured to provide an inexpensive, long lasting and effective method of identifying O.O.S. hydrants.

Made of durable HDPE and available in custom logo's and colors (minimum order applies).



Item	Description	Disk Color	Lettering	1 - 9 pcs	10 - 99	100 - 249
P68501	2-1/2" OOS Disk	Black	White	6.05	5.45	5.15
P68502	4-1/2" OOS Disk	Black	White	9.35	8.40	7.95
P68505	2-1/2" OOS Disk	Blue	White	6.05	5.45	5.15
P68506	4-1/2" OOS Disk	Blue	White	9.35	8.40	7.95
P68507	2-1/2" OOS Disk	Red	White	6.05	5.45	5.15
P68508	4-1/2" OOS Disk	Red	White	9.35	8.40	7.95
P68503	2-1/2" OOS Disk	Reflective White	Blue	7.25	6.55	6.15
P68504	4-1/2" OOS Disk	Reflective White	Blue	10.85	9.75	9.20

Special colors, logos, and sizes available. Minimum order is 50 pieces. Call with specifications and requirements.

Pollardwater.com Food Grade Anti-Seize

[GO TO WEB](#)

- Available in Paste or Aerosol
- Prevents threads from rusting, corroding & seizing

Our Food Grad Anti-Seize is designed for use where food grade products are required such as potable water systems, fire hydrants and the like. This product is available in two forms, a soft white paste in a brush top container or as an aerosol.

The product meets all specifications for incidental food contact as stated in FDA 21 CFR, parts 170-190. Product is made in USA.

Item	Description	Each
P67750	8 oz Paste w/ Brush top lid	13.95
P67751	16 oz Paste w/Brush top lid	19.50
P67752	11 oz Aerosol Can	15.95

Note: Please call for quantity pricing!



Hydrant Lifters

[GO TO WEB](#)

A Hose Nozzle Setter with Spreader Bar

Manufactured with Grade 8 chain with a safety factor of 5 to 1.

Pull tested and certified these setters feature a spreader bar that keep the rings out for vertical installation.

Lifting rings are designed for 2-1/2" hose nozzle outlets.



B The Hydrant Setter™

This setter works quickly and safely to lift hydrants into position. Just slip the paddles over the hydrants nozzles, hand tighten the nozzle caps, lift and place your hydrant. No need to mess with chains, ropes and cables in a makeshift setter. Each hydrant setter is individually proof loaded and certified to 2000 lbs. Nylon bushings protect hydrant threads. See the web for certifications and specifications.



C Swivel Power Hydrant Setter

Now fewer workers can safely set a hydrant in less time.

The Hydrant Setter's adjustable collar fits securely under the bonnets of most hydrants, not around hose nozzles. Using your power equipment, the hydrant can be held firmly in an upright position while the connection to the water main is completed.



LIFTS UNDER THE BONNET

Lifter Style	Item	Description	Each
A	P66803	Hose Nozzle Hydrant Setter with Spreader Bar	121.60
B	P66802	Cable Hydrant Setter	199.00
C	P668	Swivel Power Hydrant Setter	157.00

Reflective Hydrant Paint

Our reflective hydrant paint provides a coating for marking hydrants where night reflectivity is required.

It can be applied by spraying, brushing, stenciling or rolling. Also provides reflective marking for steel, aluminum, concrete and wood surfaces.

[GO TO WEB](#)

Item	Description	Each
P68214	Reflective White Paint, Gallon	350.70
P68215	Reflective Silver Paint, Gallon	350.70
P68216	Reflective Yellow Paint, Gallon	533.55
P68218	Reflective White Paint, Quart	118.55
P68219	Reflective Silver Paint, Quart	118.55
P68220	Reflective Yellow Paint, Quart	177.15

NOTE: Hazardous Material Charges apply on all Reflective Hydrant Paint. Must ship via ground transportation only.



Meter Pit Pumps

The quickest way to get rid of water in a meter pit or valve box is to use this self priming hand pump. The barrel is 36" long and comes with either a 36" or 72" discharge hose to direct the flow away from where you are working.

[GO TO WEB](#)

Simply place the end of the pump in the liquid and start pumping the handle, it's that easy. The pump has a built in foot valve to keep from back siphoning.

You can add an optional stone strainer to keep larger rocks and debris out of the pump prolonging the life of the unit.

This pump is built from impact resistant PVC and is non-sparking. Its lightweight design and simplicity of use make it the perfect partner for any meter reader. The pump moves 35 oz. of liquid per stroke.

For deeper pits and valve boxes you can add either a 4' or 6' extension hose to the inlet side of the pump. Extension hoses include a strainer.

Item	Description	Each
XBE136PF	36" Pump w/ 3' Hose	33.00
XBE136PF6	36" Pump w/ 6' Hose	38.00
XBEFPH4	4' Suction Hose	28.00
XBEFPH6	6' Suction Hose	31.00
XBESTR	Stone Strainer (optional)	9.00



30 GPM Koshin Hydrant and Vault Pump

- 4 Cycle 1hp Honda engine with 1" inlet/outlet
- Lightweight! - Weighs only 13 lbs



[GO TO WEB](#)

The little pump that could, this pump will handle many jobs including pumping out valve boxes, meter pits and hydrants.

It will self prime to 26 feet below the inlet, and pump up to 30 GPM. It is designed to pump primarily clean to turbid water, but it will handle silt and small solids.

The Honda engine is CARB approved for use in all 50 states. The 4 cycle engine means no mixing gas and oil. Unit includes plastic strainer and hose clamps.

This is not a throw away pump, all major parts are completely replaceable.

Item	Description	Each
XK0SEH25L	Kosin Hydrant Pump	380.00

RUST-OLEUM Hydrant Paint

RUST-OLEUM®

Rust-Oleum® DTM acrylic enamel is a high performing Hydrant Paint.

Gloss finish offers excellent resistance to weathering and fading.

Item	Description	Each
P48301	Safety Blue	44.95
P48302	Safety Red	44.95
P48303	Safety Orange	44.95
P48305	Safety Green	44.95
P48306	Safety Yellow	44.95



[GO TO WEB](#)

HD Curb and Valve Box Cleaners

The must have for any service truck - our cleaner features interchangeable blades and durable construction.

Replacement parts available online. Available up to 12' in length. See web for Piranha and Plier versions.



[GO TO WEB](#)

Item	Description	Each
P526	VBC Standard Blade 5'	213.00
P527	VBC Standard Blade 6'	220.00
P52701	VBC Standard Blade 7'	230.00
P52702	VBC Standard Blade 8'	237.00

P526Mud	VBC Mud & Sand Blade 5'	217.00
P527Mud	VBC Mud & Sand Blade 6'	224.00
P52701	VBC Mud & Sand Blade 7'	234.00
P52702	VBC Mud & Sand Blade 8'	240.00

P52617STD	Standard Blade Kit*	55.00
P52617Mud	Mud & Sand Blade Kit*	55.00
P52617Piranha	Piranha Jaws Blade Kit*	55.00
P52617Plier	Plier Blade Kit*	55.00


*Blade Kits include pair of Blades and 3 SST Pins

T Handle Valve Keys

Used to turn 2" square nuts on gate valves. Cast Alloy Steel socket is extremely strong and allows mud and debris to exit through holes at top.



Item	Description	Each
P54505	5' T Handle Valve Key 13 lbs.	50.40
P545	6' T Handle Valve Key 14 lbs.	52.82
P546	7' T Handle Valve Key 16 lbs.	56.20
P547	8' T Handle Valve Key 18 lbs.	59.10



T Handle Valve Keys with Swivel

We have added a heavy duty Swivel to our popular Valve Key for normal and TILTED Valves.

Item	Description	Each
P54505SWIV	5' SW Valve Key 15 lbs.	87.00
P545SWIV	6' SW Valve Key 14 lbs.	89.95
P546SWIV	7' SW Valve Key 16 lbs.	92.00
P547SWIV	8' SW Valve Key 18 lbs.	94.00

[GO TO WEB](#)

Sewer Clean out Tool

Used to pick up debris from the bottom of sewers. The claw can grab almost anything from a piece of paper to a brick. The claws stay closed no handle to hold. Telescopic rod, expandable 6' to 12' or 8' to 16'. Rod is made of Plexiglas and is not conductive.



[GO TO WEB](#)

Item	Description	Each
P52430	Sewer Clean Out Tool 6-12 ft	225.00
P52431	Sewer Clean Out Tool 8-16 ft	270.00

Sewer Spoons

2 piece handles available for easy Storage/Shipping. Sewer Spoons make short work of tough to reach spaces. Scoop is turned up at the edges and flat on the bottom. Manufactured from heat treated alloy steel and features a solid Ash wooden handle.



[GO TO WEB](#)

Item	Description	Each
P52450	8' Sewer Spoon	85.80
P52451	10' Sewer Spoon	95.45
P52452	12' Sewer Spoon	104.90
P52456	10' Sewer Spoon 2 pc Handle	144.50
P52457	10' Sewer Spoon 2 pc Handle	156.35

Compressed Air Valve Box Vacuum Cleaner

Take out Sand and Rock from valve boxes using your compressor.



[GO TO WEB](#)

Item	Description	Each
P521	Valve Box Vacuum 3" OD	149.00
P52101	Buffalo Box Vacuum 2" OD	139.00

P521 P52101

12" Shovel Basic Cleaner

Picks up large objects like bricks, stones and wet tools. The spring load mechanism allows vice like action without damage to the tool.



[GO TO WEB](#)


This tool will not clog from mud or sand. The Basic Cleaner reaches right up to basin sidewalls and cleans sides and corners completely. When the locking handle is released, the shovels are automatically in the digging position.

Item	Description	Each
P52420	7' Basin Cleaner	213.50
P52421	8' Basin Cleaner	239.50
P52423	10' Basin Cleaner	277.35
P52424	12' Basin Cleaner	326.45

Buffalo Style Service Box Cleaner

[GO TO WEB](#)

Removes dirt, stones and other debris from service boxes without digging. Positive, push button control of solid brass spoons, for 2" to 3" boxes, up to 6' deep.



Item	Description	Each
P525	SB Cleaner (Buffalo Style Boxes)	189.00
P52501	Yoke #1	35.00
P52502	Spoons with links and rivets #2	45.00

Universal Valve and Curb Key

The Pollardwater.com Universal Key is designed with you in mind. It fits in all utility vehicles and folds up neatly for storage. Extendable sections allow you to reach up to nine feet down.




Folds down and fits in your car's trunk!

Item	Description	Each
P522	Universal Valve Key	325.00

Universal Key comes standard with the following

- Curb and Box Cover Remover A
- Curb and Box Rod Adapter B
- 3/4" & 1" Curb stop key (Extends up to 9') C
- 1-1/4" & 2" curb stop key (Extends up to 9') D
- Heavy Duty Gate Valve Key (Extends to 9') E

Item	Description	Each
P52204	Square Adapter for Power Drives	15.00
P52215	Curb Box Auger adapter (for 2 hole boxes)	35.00
P52211	Pentagon Adapter	23.30
P52212	Rolling Head Pry Bar	26.45
P66602	Hydrant Wrench and Spanner	21.49
P66604	STORZ Hydrant Wrench and Spanner	26.00
P54102	Meter Pit Key #2 (27/32" & 1-1/32")	20.00
P54101	Meter Pit Key #1 (Standard Pent. 27/32")	18.50
P54150	Large Pit Key (fits same as #1 & #2 and Mueller)	24.95



Valve Boss Gasoline Powered Valve Exerciser

Delivers 70ft/lbs peak torque at 65 RPM maximum rotation speed. Powered by a reliable 4-stroke Honda GX25 engine which can be operated in any position with a full range of output speeds.

Counters provide easy monitoring of valve turns. The 49" to 92" adjustable gate wrench connects to the Valve Boss or can be operated manually with the T-Handle that is included.

[GO TO WEB](#)



Item	Description	Each
VSI10001	Valve Boss Valve Exerciser	2,100.00
VSI10002	Adjustable Gate Wrench	225.00

Pollard Valve Tongs

Our Valve Tongs hold gate valves steady during installation and removal. Fits 12" and smaller valves.



Item	Description	Each
P57201	Universal Valve Tong	59.00
P572	Valve Tong	46.50

Wachs Portable Electric Valve Operator

Runs on 110 v AC with 2 speed gear box to produce 800 ft./ lbs of torque on the Low setting. Controlled power to operate valves from 6" to 60". "Finger tip" controls provide rotating direction and automatic shut-off. Built in "easy view" LCD counter with automatic forward/reverse provides accurate rotation count to operator. Weight 32 lbs.



[GO TO WEB](#)

Item	Description	Each
11-000-02	Electric Valve Operator	6,270.00
05-402-00	Valve Key 8' w/ Stop Collar*	273.90

*Required for use with valve operator.

One-Hand Valve Box Cover Lifter



[GO TO WEB](#)

Designed to lift Tyler type valve box covers or can be modified to work with the smallest of valve box covers. Each tool comes with a 5/8 inch pentagon wrench for dual usage.

Item	Description	Each
P53070	Regular Handle VB Cover Lifter	69.00
P53075	Long Handle VB Cover Lifter	83.00

Geophone Water Leak Detector

[GO TO WEB](#)

No batteries - the Geophone is always working for you! Simple to use - go in the direction of the sound and when equal in both ears your over the suspect leak! Available with a sturdy wooded case. Economical enough to have one in every service truck.



Item	Description	Each
P512	Geophone With Carrying Case.	319.00
P51201	Geophone Less Carrying Case	275.00

LD-12 Professional's Water Leak Detector

For water leak "surveying" or leak "pinpointing," the LD-12 offers features a professional needs to get the job done.



The LD-12 includes all accessories needed for "ground mic" work directly over the pipe and for "surveying" at hydrants, valves and meters.

Three-pronged base plate attaches to the sensor, so user can "ground mic" on city streets or concrete slabs.

With the magnet base or the direct contact rod attached to the sensor, the user can "survey" for leaks at hydrants, valves and meters.



[GO TO WEB](#)



Item	Description	Each
P83105	LD-12 Leak Locator w/ Case	3,290.00

Sonoscope Water Leak Detector

[GO TO WEB](#)

This hand-held leak detector is so good and so inexpensive it should be carried by every meter reader and all your field personnel. It readily detects the sound of escaping water in valves, hydrants, and meters. The Sonoscope is recommended by the AWWA Standards Committee in its inspection and maintenance procedures for hydrants.



Item	Description	Each
P679	Pollardwater.com Sonoscope	16.45
P67106	Case for Sonoscope	34.75
P67903	Extensions for Sonoscope	3.25

Repair and Service Center

Our in-house repair and service center can help you to keep you locators and leak detectors out in the field and out of the corner.



[GO TO WEB](#)

We repair Fisher, Metrotech, Schonstedt and many other leak and line detectors in house with fee estimates and quick turn around times.

Call Frank at Extension 104 or email him at frankh@pollardwater.com with any questions you have.

Pollard repair form

Download Repair Form at www.pollardwater.com and send it in with the instrument for an estimate.

GA-72Cd™ Ferromagnetic Locator



Finds valve boxes, curb boxes, and manhole covers beneath soil, snow, or blacktop. Easy-to-use and sensitive, the GA-72Cd will locate items as small as 1/4" nails (at depths of 1 foot) to well casings buried to eighteen feet. An audible detection signal peaks when the locator's tip is held directly over the target.



[GO TO WEB](#)

The unit has an easy-to-read digital bar graph that displays both the signal strength, polarity of the object and battery status.

Item	Description	Each
P832	Magnetic Locator GA-72Cd with Hard Carrying Case	945.00

Metrotech 810Dx Line Tracer

[GO TO WEB](#)

The 810Dx Pipe and Cable Locator offers the same features as the reliable 810 with some great improvements like a backlit LCD, and one watt transmitter power (user selectable from 1/4, 1/2 to 1 watt), and transmitter output check.

The 83 kHz high frequency signal is able to jump insulators and rubber gaskets found in water and gas systems and will induce a signal in conductors 8-10 feet to either side of the transmitter. Furthermore, the unit is designed to minimize electrical interference.

Standard Equipment: Transmitter, Receiver, Conductive Attachments, Ground Rod, Carrying Case, Operation Manual.



Item	Description	Each
P821DX	810Dx RF Line Tracer	2,860.00
P84002	Inductive Clamp 4"	330.00

M-66 Valve and Curb Box Locator



Fisher's M-Scope M-66 Valve and Box Locator is designed specifically for finding buried or paved-over valves, boxes or vaults. Detects all metals and has Mass Scan which helps to ignore small junk items.

Shaft is adjustable from 31-45 inches and has 8" fully submersible search head. Runs on 2 9volt batteries and weighs 4 lbs. Questions call Gene at ext. 177 or Steve at ext. 207.

[GO TO WEB](#)

Item	Description	Each
P502	M66 Valve and Box Locator	489.00
P503	M66 Hard Carrying Case	123.00

TW-6 Pipe and Cable Locator

[GO TO WEB](#)

The TW-6 locates buried pipes and cables using a radio signal that can be sent either inductively (signal sent through soil) or conductively (direct connection - preferred method with an over 50% increase in performance).

Very easy to use, the TW-6 will help you accurately locate pipe before you dig, saving time, money and even lives. A must for every water utility truck.



Item	Description	Each
P500	TW-6 Pipe and Cable Locator	689.00
P505	Carrying Case (Hard)	119.00
P50504	Coupling Clamp	245.00
P50423	Sonde SR81 81.92 kHz	319.00

Stenner 45 Classic Series Pumps

The reliable Stenner 45 Classic Series peristaltic pumps have a time tested design that will pump chlorine and most water treatment chemicals without losing prime.

The 45 Series pumps feature a 26 RPM gear motor with an overall lower output but have a longer tube and component life. These adjustable rate pumps have a dial ring that allows output adjustments in 2.5% increments (of max rated output).

Item	GPD	PSI	Tube OD	Each
CST45MJH1A1S	3	100	1/4"	355.25
CST45MJH2A1S	10	100	1/4"	355.25
CST45MJH7A1S	22	100	1/4"	355.25
CST45MJL4A1S	35	25	1/4"	355.25
CST45MJH5A1S	50	25	1/4"	355.25

Need help selecting the best chem feed pump for your application? I can help!

Call me at 800-437-1146 x 173 or email me at PaulA@Pollardwater.com.

We carry a very wide selection of pumps, systems, tanks and accessories.

LMI A Series for Sodium Hyperchlorite

The Roytronic™ Series A metering pumps offer a robust design, more control options and an improved drive system for reliable pumping at all flow and pressure ratings.

These pumps are available for applications up to 250 psi with capacities between .001 and 2.0 GPH. Single or dual manual control options with pulse or 4-20mA inputs are available.

The AutoPrime™ continuous bleed head is best for off-gassing chemicals like sodium hypochlorite.

The FastPrime head offers quick, positive priming with a manual bleed system and is great for many water treatment chemicals.

All pumps listed include a redesigned 4 Function Valve (4FV). Also included are a weighted foot valve, injection-check valve, suction and discharge tubing.



Call Paul at Ext 173
He can help you!

**20+ years
EXPERIENCE**

Check out our website anytime for the latest information at www.pollardwater.com.



Item	GPD	PSI	Tube OD	Each
CLMA111-918HI	3	150	1/4"	657.90
CLMA141-918HI	6	150	1/4"	657.90
CLMA151-928HI	18	110	3/8"	666.40
CLMA161-938HI	40.8	50	3/8"	691.05

ADJUSTABLE



GO TO WEB



ABS Piranha "S" Series Grinder Pumps

Cast iron body, SS cutters and silicon carbide seals make this one of the best grinders for the money. Use the ABS Piranha for difficult lift stations where rags and plastic bags and other debris clog regular sewage pumps.

These pumps are also great where higher heads are needed to reach or feed a pressure main.

Item	HP	Volt	Phase	Amps	Each
XABS10-4W	1-4/10	230	1	6.5	1,625.00
XABS10-4-230	1-4/10	230	3	5.2	1,625.00
XABS20-2W	2	230	1	10.8	1,650.00
XABS20-2-230	2	230	3	7.2	1,650.00
XABS20-2-460	2	460	3	3.6	1,650.00

AMT Submersible Shredder Sewage Pump

Intended for use in industrial settings including construction sites, wastewater, storm water and other applications involving solids up to 1" and material that needs to be cut up before it causes a pump to clog.

Item	Size	HP	Phase	VAC	GPM	Head	Each
XAM576095	2"	1	1	115	120	30	710.00
XAM576195	2"	1	1	230	120	30	710.00
XAM576295	2"	1	3	230	120	30	695.00
XAM576B95	2"	1	3	460	120	30	695.00
XAM576395	3"	2	1	230	190	40	1,005.00
XAM576495	3"	2	3	230	190	40	1,005.00
XAM576C95	3"	2	3	460	190	40	1,005.00
XAM576595	4"	3	1	230	220	60	1,325.00
XAM576695	4"	3	3	230	220	60	1,325.00
XAM576D95	4"	3	3	460	220	60	1,300.00
XAM576795	4"	5	3	230	275	85	1,650.00
XAM576E95	4"	5	3	460	275	85	1,650.00

Goulds WS Series Submersible Sewage Pumps

Designed for continuous duty, these pumps are capable of running dry without damage, and will handle solids up to 2" in diameter.

For domestic or industrial sewage, and municipal lift stations, mobile home parks or anywhere raw sewage needs to be pumped.

Item	HP	Volt	Phase	Amps	Each
XGOWS0311BF	1/3	115	1	10.7	505.60
XGOWS0312BF	1/3	230	1	4.9	515.44
XGOWS0511BF	1/2	115	1	14.5	645.85
XGOWE0512BF	1/2	230	1	7.3	645.85
XGOWS0718BF	3/4	208	1	11.0	850.00
XGOWS0712BF	3/4	230	1	9.4	850.00
XGOWS0732BF	3/4	230	3	3.6	850.00
XGOWS1018BF	1	208	1	14.0	905.00
XGOWS1012BF	1	230	1	12.3	905.00
XGOWE1032BF	1	230	3	5.8	905.00

GO TO WEB



GO TO WEB



GO TO WEB





RKI GX-2009 Gas Detector

The GX-2009 represents the latest evolution of gas detection technology. All controls and features are operated through 2 simple glow-in-the dark, glove friendly buttons. Units and sensors come standard with a "bumper to bumper" two year warranty! Manual and CD included.

Item	Description	Each
SRK720314RKC	4 Gas w/AC Charger	695.00
SRK720314RKA	4 Gas w/DC Charger*	710.00
SRK8101HSCOLV	Cal Kit w/ Cylinder+	345.00
SUK01001	Carry Case	98.50

* Includes Cigarette Lighter Plug
+ 34 Liter w/Regulator

[GO TO WEB](#)

Dimensions: 3"L x 2.75"W x .98"D
Weight: 4.6oz.
Battery: Ni-MH
Battery Life: 14 Hours
Alarms: Visual, Audible & Vibrating
Pump: External (Optional)
Intrinsic Safety: Class 1, Div 1
Groups A, B, C, D

LEL: 0-100%
O₂: 0-40%
CO: 0-500 ppm
H₂S: 0-100 ppm



[GO TO WEB](#)

[GO TO WEB](#)

SAL9533-15



ALLEGRO
INDUSTRIES

AC Plastic Com-Pax-Ial

Free Air	One 90	Two 90
831	709	586
Weight	HP	Specs
17 lbs	1/3 HP	3A/115V

DC Plastic Com-Pax-Ial

Free Air	One 90	Two 90
816	526	442
Weight	HP	Specs
16 lbs	1/4 HP	13A/12V

Com-Pax-Ial Blower

This high output compact blower comes with your choice of 15 or 25 feet of ducting. Ducting stores conveniently within canister and is available in AC or DC models. Complete systems available - call Drew at extension 205 for details....ask about FREE FREIGHT!

Item	Description	Each
SP15	15' Sampler	75.75
SP15KIT	15' Sampler, Brush & Case	119.55

Modular Davit System

This system is ideal for areas where a tripod is not feasible. It is designed for confined space entry/retrieval applications. This system is constructed of powder-coated aluminum with stainless and zinc plated steel to maximize strength and resist the harshest environments. Portable base adjusts in width from 37" to 64" and a maximum offset of 48" to fit various hole/entrance sizes. For help call Drew at extension 205 for details.

Item	Description	Each
SDB8518001	Upper Mast w/ Davit Arm (12"-29")	1595.00
SDB8518006	Upper Mast w/ Davit Arm (31"-48")	1890.00




SludgePro™

SludgePro™ Settled Solids Sampler


Polycarbonate construction delivers maximum strength and durability. 3/4" diameter tubing is expandable up to 20 feet. Sections are compatible with popular competitive models for a fraction of the price!

Purchase the 15-ft SludgePro sampler alone or save money and buy a complete kit! Kits include 15-ft SludgePro sampler, cleaning brush and case. Add additional 5' mid sections for extending the sampler up to 25'.

Item	Description	Each
SP15	15' Sampler	75.75
SP15KIT	15' Sampler, Brush, Case	119.55
SP15MIDDLE	Extra Middle Section	23.95



Easy-to-Clean
Full Flow
Check Valve



SludgePro™ XL

SludgePro™ XL Settled Solids Sampler

The SludgePro XL features 1-1/4 diameter tubing expandable to 25' with a high flow check valve the is easy to clean. Manufactured from high strength polycarbonate tubing and has taped numbers from 1 to 14 feet.

Purchase the 15-ft SludgePro XL sampler alone or save money and buy a complete kit! Kits includes a 15-ft SludgePro XL sampler, cleaning brush and case. Add additional 5' mid sections for extending the sampler up to 25'.

Item	Description	Each
SPXL	XL 15' Sampler	99.95
SPXLKIT	XL 15' Sampler, Brush, Case	144.45
SPXL15MIDDLE	XL Extra Middle Section	37.30

PRESORTED BOUND
PRINTED MATTER
U.S. POSTAGE PAID
CITY NAME, ST
PERMIT NO. ??



**MUNICIPAL
PURCHASE
ORDERS
WELCOME**

800-437-1146
SALES AND TECHNICAL SUPPORT

Visit us online anytime **Two Warehouses saves**
www.pollardwater.com **you Time and Money**

Quick Order Ask us Email Call us Toll Free CLICK ON THE Credit Card Contact Electronic Request is Expeditious Find it for Me POWER How to Order How to Search Request Email Manufacturing Quick Order Form Quoting Request Sales Termin Specialists Warranty News SHOPPING CART > List Items: 0 Total Price: Sub Total: \$0.00 CURRENT SHIPPING CART STATUS Applicable Taxes and Freight Charges will be added to Final Invoice	Search by Product Name >  FEATURED PRODUCTS	Pollardwater.com Welcome to Pollardwater.com			
	 LPD-220 Turbohammer	 Hydrant Latch Cutter	 Pollardwater.com Logo (New)	 Road Chisel Cutter Tool	 REBAR CUTTER ELECTRIC CUTTING TOOL ELECTRIC CUTTING TOOL
	 Hole Saw	 High Speed Die Grinder	 Hand Operated Hydraulic Press	 Circular Saw	 ROAD REPAIR KIT ROAD REPAIR KIT
	 Sump Pump	 Generator Unit	 High Speed Die Grinder	 Pressure Washer	 ROAD RESTORER ROAD RESTORER KIT
	 Trencher	 Generator Unit	 Hand Operated Hydraulic Press	 Circular Saw	 ROAD REPAIR KIT ROAD REPAIR KIT
	 Trencher	 Generator Unit	 Hand Operated Hydraulic Press	 Circular Saw	 ROAD REPAIR KIT ROAD REPAIR KIT
	 Trencher	 Generator Unit	 Hand Operated Hydraulic Press	 Circular Saw	 ROAD REPAIR KIT ROAD REPAIR KIT



Pollardwater.com has warehouses on both coasts so your order will reach you quickly.

- Fast Delivery
- Lowest Freight Rate
- Easy Tracking
- Affordable Next Day